Highly Fluorinated Chemicals: A Sticky Issue We will begin momentarily.

Presenters:


Mark Strynar, PhD, Physical Scientist, U.S. Environmental Protection Agency Christopher Higgins, PhD, Associate Professor, Colorado School of Mines Robert Bilott, JD, Partner at Taft, Stettinius and Hollister LLP Arlene Blum, PhD, Executive Director, Green Science Policy Institute

To submit questions, click "Q&A" or email Veronica@GreenSciencePolicy.org. Questions will follow the presentations.

> Wednesday, April 19, 2017 11:00 AM Pacific / 2:00 PM Eastern



A Planetary Boundary for Chemical Pollution



Chemical pollution:

- Increasing chemical production
- Persistence and long range transport
- Finite capacity of the earth to absorb toxics


Diamond et al, 2015, Environment International

U.S. Toxic Substances Control Act (1976)

- 62,000 previous chemicals "grandfathered"
- 23,000 new chemicals
 - 85% have no health data
 - 67% have no data at all




Regrettable Substitution



Decabromodiphenyl ether

Concerns:

- Persistence
- Bioaccumulation
- Toxicity



Decabromodiphenyl ethane

Concerns:

- Persistence
- Bioaccumulation
- Toxicity

GREEN SCIENCE POLICY INSTITUTE www.GreenSciencePolicy.org GREEN SCIENCE POLICY INSTITUTE

Readed

in building insulation:

-11VIKUIIIIItiiifi

Science & Technology



in U.S. Fast Food Packaging and Q. Andrews, Mark J. Strynar,

Fluorin Laurel A. 6 Supp Margaret 1Silent Sp

NFORMATION PAPER

FIE ES

Detection of Poly- and Perfluoroalkyl Substances (PFASs) in U.S. Bame With mixti and 102 Green Drinking Water Linked to Industrial Sites, Military Fire Training Areas, Depart and Wastewater Treatment Plants Envin *Natio

Xindi C. Hu,^{*,†} David Q. Andrews,[†] Andrew B. Lindstrom,[†] Thomas A. Bruton,[±] Laurel A. Schaider,[†] Philippe Grandjean,[†] Rainer Lohmann,[®] Courtney C. Carignan,[†] Arlene Blum,^{$\pm \nabla$} Simona A. Balan,[®] Christopher P. Higgins,[©] and Elsie M. Sunderland^{††} V Che

P. Lee Ferguson, Michelle Gabriel

001 [†]Harvard T. H. Chan School of Public Health, Boston, Massachusetts 02215, United States PDI

⁸Harvard John A. Paulson School of Engineering and Applied Sciences, Cambridge, Massachusetts 02138, United States

Environmental Working Group, Washington, D.C. 20009, United States National Exposure Research Laboratory, U.S. Environmental Protection Agency, Research Triangle Park, North Carolina 27711,

United States ¹University of California at Berkeley, Berkeley, California 94720, United States

*Silent Spring Institute, Newton, Massachusetts 02460, United States

⁽⁰University of Rhode Island, Narragansett, Rhode Island 02882, United States

VGreen Science Policy Institute, Berkeley, California 94705, United States •California Department of Toxic Substances Control, 1001 I Street, Sacramento, California 95814, United States (Formerly at the

Green Science Policy Institute, Berkeley, California 94705, United States) Colorado School of Mines, 1500 Illinois Street, Golden, Colorado 80401, United States

Supporting Information

ABSTRACT: Drinking water contamination with poly- and perfluoroalkyl substances (PFASs) poses risks to the developmental, immune, metabolic, and endocrine health of consumers. We present a spatial analysis of 2013–2015 national drinking water PFAS concentrations from the U.S. Provincement of the strength of the U.S. Provincement of the U.S. Provincement of the strength of the U.S. Provincement of the strength o Environmental Protection Agency's (US EPA) third Unregu-lated Contaminant Monitoring Rule (UCMR3) program. The number of industrial sites that manufacture or use these ids, the number of military



Letter

Research

Education



Convening

Policy & Purchasing Change

The Six Classes

- 1. Highly fluorinated chemicals (PFASs) water and oil repellants
- 2. Chlorinated antimicrobials triclosan and triclocarban
- 3. Flame retardants

brominated, chlorinated, phosphate

- 4. Bisphenols and phthalates phthalates, BPA, BPS, etc.
- 5. Organic solvents

benzene, methylene chloride, xylene, etc.

6. Certain metals

lead, mercury, cadmium, arsenic

Is it necessary?

Is it worth it?

Is there a safer alternative?

GREEN SCIENCE POLICY INSTITUTE www.GreenSciencePolicy.org



15-minute webinars on Six Classes -- www.SixClasses.org

June 22, 2017 at 11:00 am Pacific Online Premiere: Three-Minute Videos

GREEN SCIENCE POLICY INSTITUTE www.GreenSciencePolicy.org

Published 2007



STAIN-RESISTANT, NONSTICK, WATERPROOF, AND LETHAL

THE HIDDEN DANGERS OF C8 CALLIE LYONS



November 2014 Helsingør Statement on Poly & Perfluorinated Alkyl Substances

> May 2015 The Madrid Statement on Highly Fluorinated Chemicals



"We call on the international community to cooperate in limiting the production and use of PFASs and in developing safer non-fluorinated alternatives."

> Signed by 230 scientists from 40 countries 2015: Environmental Health Perspectives

2015-16

The Opinion Pages | OP-ED COLUMNIST

Chemicals in Your Popcorn?

JUNE 4, 2015



What do a pizza box, a polar bear and you have in common?

<u>All carry a kind of industrial toxicant</u> called poly- and perfluoroalkyl substances, or PFASs, that do two things: They make life convenient, and they also appear to increase the risk of cancer.

These Chemicals in Pizza Boxes and Carpeting Last Forever

More than 200 scientists around the world document the threats of perfluorinated compounds and call for more government control.

The New York Times Magazine

By Lindsey Konkel, National Geographic PUBLISHED MAY 01, 2015







THE TEFLON TOXIN

DuPont and the Chemistry of Deception

The Lawyer Who Became DuPont's Worst Nightmare

Rob Bilott was a corporate defense attorney for eight years. Then he took on an environmental suit that would upend his entire career — and expose a brazen, decades-long history of chemical pollution.

By NATHANIEL RICH JAN. 6, 2016

The New Hork Times

€ Home



November 2015: Highly Fluorinated Chemicals



Scientific Guidance Panel voted unanimously to add entire class of Highly Fluorinated Chemicals (PFASs) to priority list of chemicals.


http://biomonitoring.ca.gov/sites/default/files/downloads/SGPMeetingSummaryNovember2015.pdf

EPA Drinking Water Health Advisory Levels

January 2009: Provisional level of 400 ppt for PFOA and 200 ppt for PFOS

May 2016: Lifetime level of 70 ppt for total of PFOA and PFOS

Watersheds with point sources have higher detection frequencies for PFASs



Cindy Hu et al, ES&T Letters, 2016

Air Force stops using AFFF foam in training exercises

- Drinking water of six million Americans contaminated with PFASs
- AFFF firefighting foams used in training are a major contributor
- Air Force, on 19 August 2016:
 - "will stop using foam in training exercises"
 - "will replace C8 foam with C6"



Fluorinated Alternatives?



Fluorinated Alternatives: Myths versus Facts



Long-chain highly fluorinated chemicals — including PFOA, PFOS and other C8 compounds — were used for decades to give water-repellant, stain-resistant, and non-stick properties to furnishings, carpets, outdoor gear and other products. Exposure to PFOA has been linked to kidney and testicular cancer, elevated cholesterol, decreased fertility, thyroid problems and changes in hormone functioning in adults as well as adverse developmental effects and decreased immune response in children¹.

Due to such harmful effects, the long-chain chemicals were recently phased out and replaced by numerous similar compounds, including short-chain molecules called C6 and C4². Industry says these alternatives are safe, sustainable, and well-tested³. A look at the facts shows those claims don't stick.

THE BOTTOM LINE Highly fluorinated chemicals pose a potential risk to human health and the environment, and they should only be used with safeguards when their function is essential.



MYTH: "PFOA-free" means safe.

FACT: Products advertised as "PFOA-free" often contain replacement chemicals made with the same **problematic chemical building blocks** as PFOA.

Since PFOA has been phased out, numerous related chemicals that are equally persistent and may pose similar health risks have replaced it⁴. To prevent such "regrettable substitutions", the entire class of highly fluorinated chemicals should be avoided.

MYTH: Short-chain fluorinated alternatives like the 6 and 4 carbon-based compounds have been thoroughly tested and are safe.

FACT: Recent studies suggest these alternatives may cause similar health problems as the long chain compounds.

www.greensciencepolicy.org/ highly-fluorinated-chemicals/



Microwave Popcorn Bags

- High PFAS concentrations ¹⁻⁴
- Coop Denmark halted popcorn sales in 2015 due to PFAS
- RESULT: PFAS-free popcorn bags



- 1. Zabaleta, I., et al. Talanta. 152, 353-363. (2016)
- 2. Zafeiraki, E., et al. Chemosphere. 94, 169-176. (2014)
- 3. Dolman, S. and Pelzing, B. J. Chrom. B. 879:22, 2043-2050. (2011)
- 4. Begley, T. H., et al. Food Add. and Cont. 22:10, 1023-1031. (2005)

Proposed State Legislation

- California Assembly Bill 958 (Ting)
 - "A food provider shall not serve, offer for sale, or offer for promotional purposes prepared food in, on, or with fast food packaging that contains PFAS."
- Vermont
 - Pending bill would prohibit all PFASs in food contact materials
- Washington State Children's Safe Products Act
 - Proposal to add entire class of PFASs to list of chemicals of high concern at April 25 hearing

"Tackling Toxics" in Science

"companies arephasing out highly fluorinated and other harmful chemical classes from the products they buy, produce, and/or sell."

Purchasers can ask:



"Do we need this chemical, given the potential for harm?"

11 MARCH 2016 • VOL 351 ISSUE 6278 DOI: 10.1126/science.aaf5468

BRANDS ARE ELIMINATING HIGHLY FLUORINATED CHEMICALS

IKEA	HaM	Crate&Barrel	LEVI STRAUSS & CO.
PUMA	Senellon	ESIPIRIT	adidas
MARKS <mark>&</mark> SPENCER	MANGO	BURBERRY®	ZARA

Phasing out PFASs "If IKEA can do it, Kaiser Permanente can do it"

- The idea of tackling PFASs was sparked at a conference in which IKEA discussed its goal to phase out the use of fluorinated chemicals
- Kaiser Permanente is phasing out all PFASs and flame retardants from its furnishings

- Global Business Briefing, February 2016

A large retailer celebrates!

"In another couple weeks, we will stop offering C6 chemistry fabric protection as an optional add-on.



If a customer asks for it,

we will explain that the manufacturer does not recommend treating the product with any type of fabric protection.

So tonight, I will open a nice bottle of Merlot, and share a toast with my wife over the fact that we have made a few more products safer for a few more people in this world." Is it necessary?

Is it worth it?

Is there a safer alternative?

GREEN SCIENCE POLICY INSTITUTE www.GreenSciencePolicy.org



Online Premiere: Six Classes Three-Minute Videos June 22, 2017 at 11:00 am Pacific

GREEN SCIENCE POLICY INSTITUTE www.GreenSciencePolicy.org

We are hiring!

- Deputy Director for the Six Classes:
- Lead Six Classes work

- Science and Policy Associate:
- Implement projects and activities

www.GreenSciencePolicy.org/jobs/

Thank You!

- More on highly fluorinated chemicals: <u>http://greensciencepolicy.org/highly-fluorinated-chemicals/</u>
- Mark Strynar: <u>Strynar.Mark@epa.gov</u>
- Chris Higgins: <u>chiggins@mines.edu</u>
- Rob Bilott: bilott@taftlaw.com
- Arlene Blum: <u>Arlene@GreenSciencePolicy.org</u>

Interesting Reads

- Arlene's Science Magazine article on "<u>Tackling Toxics</u>".
- The great investigative series <u>Teflon Toxin DuPont and the Chemistry of</u> <u>Deception</u>.
- The New York Times Magazine article featuring Rob Bilott, "<u>The Lawyer Who</u> <u>Became DuPont's Worst Nightmare</u>".

We will email you these article links.

Highly Fluorinated Chemicals: A Sticky Issue



Tom Bruton, Green Science Policy Institute

To submit questions, click "Q&A" or email Veronica@GreenSciencePolicy.org. Speakers will respond to as many as time permits. We apologize if yours isn't answered.



www.GreenSciencePolicy.org