

Health and Toxicology of Building Flame Retardants Bibliography

Alaee, M 2003, "An overview of commercially used brominated flame retardants, their applications, their use patterns in different countries/regions and possible modes of release." *Environment International*, vol. 29, no. 6, pp. 683-689.

BSEF 2009, HBCD Fact Sheet., BSEF, Brussels, Belgium.

Cantón, RF, Peijnenburg, AACM, Hoogenboom, RLAP, Piersma, AH, et al. 2008, "Subacute effects of hexabromocyclododecane (HBCD) on hepatic gene expression profiles in rats." *Toxicology and applied pharmacology*, vol. 231, no. 2, pp. 267-72.

Chengelis, C 2001, A 90-day oral (gavage) toxicity study of HBCD in rats. WIL-186012., Chemical Manufacturers Association, Arlington, VA.

Covaci, A, Gerecke, AC, Law, RJ, Voorspoels, S, et al. 2006, "Hexabromocyclododecanes (HBCDs) in the environment and humans: a review." *Environmental science & technology*, vol. 40, no. 12, pp. 3679-88.

Darnerud, P 2003, "Toxic effects of brominated flame retardants in man and in wildlife." *Environment International*, vol. 29, no. 6, pp. 841-853.

Dingemans, MML, Heusinkveld, HJ, Groot, A de, Bergman, Ake, et al. 2009, "Hexabromocyclododecane inhibits depolarization-induced increase in intracellular calcium levels and neurotransmitter release in PC12 cells." *Toxicological sciences*, vol. 107, no. 2, pp. 490-7.

Ema, M, Fujii, S, Hirata-Koizumi, M & Matsumoto, M 2008, "Two-generation reproductive toxicity study of the flame retardant hexabromocyclododecane in rats." *Reproductive toxicology*, vol. 25, no. 3, pp. 335-51.

Fernandes, A, Dicks, P, Mortimer, D, Gem, M, et al. 2008, "Brominated and chlorinated dioxins, PCBs and brominated flame retardants in Scottish shellfish: methodology, occurrence and human dietary exposure." *Molecular nutrition & food research*, vol. 52, no. 2, pp. 238-49.

Fängström, B, Athanassiadis, I, Odsjö, T, Norén, K & Bergman, Ake 2008, "Temporal trends of polybrominated diphenyl ethers and hexabromocyclododecane in milk from Stockholm mothers, 1980-2004." *Molecular nutrition & food research*, vol. 52, no. 2, pp. 187-93.

Germer, S, Piersma, AH, Der Ven, L van, Kamyschnikow, A, et al. 2006, "Subacute effects of the brominated flame retardants hexabromocyclododecane and tetrabromobisphenol A on hepatic cytochrome P450 levels in rats." *Toxicology*, vol. 218, no. 2-3, pp. 229-36.

Hamers, T, Kamstra, JH, Sonneveld, E, Murk, AJ, et al. 2006, "In vitro profiling of the endocrine-disrupting potency of brominated flame retardants." *Toxicological sciences*, vol. 92, no. 1, pp. 157-73.

Harrad, S, Abdallah, MA-E, Rose, NL, Turner, SD & Davidson, TA 2009, "Current-use brominated flame retardants in water, sediment, and fish from English lakes." *Environmental science & technology*, vol. 43, no. 24, pp. 9077-83.

Harrad, S, Wit, CA de, Abdallah, MA-E, Bergh, C, et al. 2010, "Indoor contamination with hexabromocyclododecanes, polybrominated diphenyl ethers, and perfluoroalkyl compounds: an important exposure pathway for people?" *Environmental science & technology*, vol. 44, no. 9, pp. 3221-31.

He, M-J, Luo, X-J, Yu, L-H, Liu, J, et al. 2010, "Tetrabromobisphenol-A and hexabromocyclododecane in birds from an e-waste region in South China: influence of diet on diastereoisomer- and enantiomer-specific distribution and trophodynamics." *Environmental science & technology*, vol. 44, no. 15, pp. 5748-54.

Helleday, T, Tuominen, KL, Bergman, A & Jenssen, D 1999, "Brominated flame retardants induce intragenic recombination in mammalian cells." *Mutation research*, vol. 439, no. 2, pp. 137-47.

Johansson, A-K, Sellström, U, Lindberg, P, Bignert, A & De Witt, CA 2009, "Polybrominated diphenyl ether congener patterns, hexabromocyclododecane, and brominated biphenyl 153 in eggs of peregrine falcons (*Falco peregrinus*) breeding in Sweden." *Environmental toxicology and chemistry / SETAC*, vol. 28, no. 1, pp. 9-17.

Johnson-Restrepo, B, Adams, DH & Kannan, K 2008, "Tetrabromobisphenol A (TBBPA) and hexabromocyclododecanes (HBCDs) in tissues of humans, dolphins, and sharks from the United States." *Chemosphere*, vol. 70, no. 11, pp. 1935-44.

Kajiwara, N & Takigami, H 2010, "Behavior of additive brominated flame retardants in textile products.," in 5th International Symposium on Brominated Flame Retardants, Kyoto, Japan.

Kakimoto, K, Akutsu, K, Konishi, Y & Tanaka, Y 2008, "Time trend of hexabromocyclododecane in the breast milk of Japanese women." *Chemosphere*, vol. 71, no. 6, pp. 1110-4.

Lam, JCW, Lau, RKF, Murphy, MB & Lam, PKS 2009, "Temporal trends of hexabromocyclododecanes (HBCDs) and polybrominated diphenyl ethers (PBDEs) and detection of two novel flame retardants in marine mammals from Hong Kong, South China." *Environmental science & technology*, vol. 43, no. 18, pp. 6944-9.

Law, K, Halldorson, T, Danell, R, Stern, G, et al. 2006, "Bioaccumulation and trophic transfer of some brominated flame retardants in a Lake Winnipeg (Canada) food web." *Environmental toxicology and chemistry / SETAC*, vol. 25, no. 8, pp. 2177-86.

Law, RJ, Allchin, Colin R, Boer, J de, Covaci, A, et al. 2006, "Levels and trends of brominated flame retardants in the European environment." *Chemosphere*, vol. 64, no. 2, pp. 187-208.

Letcher, RJ, Gebbink, WA, Sonne, C, Born, EW, et al. 2009, "Bioaccumulation and biotransformation of brominated and chlorinated contaminants and their metabolites in ringed seals (*Pusa hispida*) and polar bears (*Ursus maritimus*) from East Greenland." *Environment international*, vol. 35, no. 8, pp. 1118-24.

Lilienthal, H, Der Ven, LTM van, Piersma, AH & Vos, JG 2009, "Effects of the brominated flame retardant hexabromocyclododecane (HBCD) on dopamine-dependent behavior and brainstem auditory evoked potentials in a one-generation reproduction study in Wistar rats." *Toxicology letters*, vol. 185, no. 1, pp. 63-72.

Mariussen, E & Fonnum, F “The effect of brominated flame retardants on neurotransmitter uptake into rat brain synaptosomes and vesicles.” *Neurochemistry international*, vol. 43, no. 4-5, pp. 533-42.

Reistad, T, Fonnum, F & Mariussen, E 2006, “Neurotoxicity of the pentabrominated diphenyl ether mixture, DE-71, and hexabromocyclododecane (HBCD) in rat cerebellar granule cells in vitro.” *Archives of toxicology*, vol. 80, no. 11, pp. 785-96.

Ronisz, D, Finne, EF, Karlsson, H & Förlin, L 2004, “Effects of the brominated flame retardants hexabromocyclododecane (HBCDD), and tetrabromobisphenol A (TBBPA), on hepatic enzymes and other biomarkers in juvenile rainbow trout and feral eelpout.” *Aquatic toxicology*, vol. 69, no. 3, pp. 229-45.

Roze, E, Meijer, L, Bakker, A, Van Braeckel, KNJA, et al. 2009, “Prenatal exposure to organohalogens, including brominated flame retardants, influences motor, cognitive, and behavioral performance at school age.” *Environmental health perspectives*, vol. 117, no. 12, pp. 1953-8.

Shaw, SD, Berger, ML, Brenner, D, Kannan, K, et al. 2009, “Bioaccumulation of polybrominated diphenyl ethers and hexabromocyclododecane in the northwest Atlantic marine food web.” *The Science of the total environment*, vol. 407, no. 10, pp. 3323-9.

Stapleton, H M, Dodder, NG, Kucklick, JR, Reddy, CM, et al. 2006, “Determination of HBCD, PBDEs and MeO-BDEs in California sea lions (*Zalophus californianus*) stranded between 1993 and 2003.” *Marine pollution bulletin*, vol. 52, no. 5, pp. 522-31.

Stapleton, Heather M, Allen, JG, Kelly, SM, Konstantinov, A, et al. 2008, “Alternate and new brominated flame retardants detected in U.S. house dust.” *Environmental science & technology*, vol. 42, no. 18, pp. 6910-6.

Swedish Chemicals Agency 2008, Risk assessment, hexabromocyclododecane. Final report., European Commission, Luxembourg.

Tanabe, S, Ramu, K, Isobe, T & Takahashi, S 2008, “Brominated flame retardants in the environment of Asia-Pacific: an overview of spatial and temporal trends.” *Journal of environmental monitoring* : JEM, vol. 10, no. 2, pp. 188-97.

Thomsen, C, Stigum, H, Frøshaug, M, Broadwell, SL, et al. 2010, “Determinants of brominated flame retardants in breast milk from a large scale Norwegian study.” *Environment international*, vol. 36, no. 1, pp. 68-74.

UNEP/POPS/POPRC 2009, Proposal to list hexabromocyclododecane in Annex A of the Stockholm Convention on persistent organic pollutants., Nordic Council of Ministers, Copenhagen.

Ven, LTM van der, De Kuil, T van, Leonards, PEG, Slob, W, et al. 2009, “Endocrine effects of hexabromocyclododecane (HBCD) in a one-generation reproduction study in Wistar rats.” *Toxicology letters*, vol. 185, no. 1, pp. 51-62.

Ven, LTM van der, Verhoef, A, De Kuil, T van, Slob, W, et al. 2006, “A 28-day oral dose toxicity study enhanced to detect endocrine effects of hexabromocyclododecane in Wistar rats.” *Toxicological sciences*, vol. 94, no. 2, pp. 281-92.

Wilson, A 2009, “Polystyrene insulation: Does it belong in a green building?” *Environmental Building News*, vol. 18, no. 8.

Wit, CA de 2002, “An overview of brominated flame retardants in the environment.” *Chemosphere*, vol. 46, no. 5, pp. 583-624.

Wit, CA de, Herzke, D & Vorkamp, K 2009, “Brominated flame retardants in the Arctic environment – trends and new candidates.” *The Science of the total environment*, vol. 408, no. 15, pp. 2885-918.

Yamada-Okabe, T, Sakai, H, Kashima, Y & Yamada-Okabe, H 2005, “Modulation at a cellular level of the thyroid hormone receptor-mediated gene expression by 1,2,5,6,9,10-hexabromocyclododecane (HBCD), 4,4'-diiodobiphenyl (DIB), and nitrofen (NIP).” *Toxicology letters*, vol. 155, no. 1, pp. 127-33.